

ARTY FRAMER

A small and full-featured contour spotlight



Sharp-edged framing

Gobo projection capability

Comes in many different variations

Arty Framer is a groundbreaking small contour spotlight with all key features built in.

It features a beam angle range of 25-50°, and comes with shutter blades which can be used to create crisp and sharp edges.

Due to its small size, Arty Framer is well-suited for environments with low ceiling heights.

Arty Framer is available for the following lighting systems:



**3-Phase Track
(220-240V AC)**

- * Fixture has built-in 0-100% dimmer
- * No external dimming possible



**Pico Trac
(12V DC)**

- * Fixture has built-in 0-100% dimmer
- * No external dimming possible
- * Easy to install



**LED Profile
(Constant current)**

- * Dimmable from the wall or the app
- * Can utilize external LED driver functions e.g. wall dimmers, Casambi, DMX or DALI
- * Installed with connector cables



**Mini Trac
(12V DC)**

- * Fixture has built-in 0-100% dimmer
- * No external dimming possible
- * Easy to install






TECHNICAL SPECIFICATION

Material	Lamp housing made of aluminium, Yoke and details made of steel, Anti-reflective zoom lenses made of glass
Finish	Grey (RAL 7040) Black (RAL 9005) White (RAL 9016)
System	3-phase circuit track Pico Trac Mini Trac LED Profile
Protection class	IP20
Power consumption	6W/8W/10W
Beam angle	25–50°
Color temperatures	2700K, 3000K, 4000K
Swivels	>365°
Tilts	>90°
Weight	280 g
Features	Filter holder, Phase selector, Toolless pan, Tilt lock

LIGHT DATA

LED Lumen	510 lm
Luminaire Lumen	286 lm
CRI	90
Red component R9	>60
MacAdam	3-step ellipse (SDCM 3)
TM30-18 Rf	95
TM30-18 Rg	100

* Data from 3000K, 8W/10W, widest beam angle



SPOTLIGHTS
ARTY FRAMER



ARTY FRAMER / 230V

Built-in local dimmer (0-100%)
Fits most known 3-phase tracks
Slim profile adapter

2700K	ARTF27C-HV-*	Arty Framer 230V/10W 2700K	480lm, CRI 90, 25-50°, 3-phase multi, dimmer
3000K	ARTF30C-HV-*	Arty Framer 230V/10W 3000K	510lm, CRI 90, 25-50°, 3-phase multi, dimmer
4000K	ARTF40C-HV-*	Arty Framer 230V/10W 4000K	540lm, CRI 90, 25-50°, 3-phase multi, dimmer

* 1: Grey 2: Black 3: White



ARTY FRAMER / PICO TRAC

Built-in local dimmer (0-100%)
Fits Pico Trac

2700K	ARTF27C-PT-*	Arty Framer 12V DC/8W PicoTrac 2700K	480lm, CRI 90, 25-50°, dimmer
3000K	ARTF30C-PT-*	Arty Framer 12V DC/8W PicoTrac 3000K	510lm, CRI 90, 25-50°, dimmer
4000K	ARTF40C-PT-*	Arty Framer 12V DC/8W PicoTrac 4000K	540lm, CRI 90, 25-50°, dimmer

* 1: Grey 2: Black 3: White



ARTY FRAMER / MINI TRAC

Built-in local dimmer (0-100%)
Fits Mini Trac

2700K	ARTF27C-MT-*	Arty Framer 12V DC/8W MiniTrac 2700K	480lm, CRI 90, 25-50°, dimmer
3000K	ARTF30C-MT-*	Arty Framer 12V DC/8W MiniTrac 3000K	510lm, CRI 90, 25-50°, dimmer
4000K	ARTF40C-MT-*	Arty Framer 12V DC/8W MiniTrac 4000K	540lm, CRI 90, 25-50°, dimmer

* 1: Grey 2: Black 3: White



ARTY FRAMER / 12V DC SOLO

Built-in local dimmer (0-100%)
Operates with 12V DC

2700K	ARTF27C-LVS-*	Arty Framer 12V DC/8W Solo 2700K	480lm, CRI 90, 25-50°, dimmer, 1m cable
3000K	ARTF30C-LVS-*	Arty Framer 12V DC/8W Solo 3000K	510lm, CRI 90, 25-50°, dimmer, 1m cable
4000K	ARTF40C-LVS-*	Arty Framer 12V DC/8W Solo 4000K	540lm, CRI 90, 25-50°, dimmer, 1m cable

* 1: Grey 2: Black 3: White





ARTY FRAMER / CCL

For LED Profile
Operated by external LED driver

Arty Framers CC for LED Profile, 1000mA

2700K	ARTF27D-CCL-*	Arty Framers CC/1000mA LED-profile 2700K	420lm, CRI 90, Vf=6V, 1000mA, 25-50°
3000K	ARTF30D-CCL-*	Arty Framers CC/1000mA LED-profile 3000K	450lm, CRI 90, Vf=6V, 1000mA, 25-50°

Arty Framers CC for LED Profile, 500mA

2700K	ARTF27B-CCL-*	Arty Framers CC/500mA LED-profile 2700K	420lm, CRI 90, Vf=12V, 500mA, 25-50°
3000K	ARTF30B-CCL-*	Arty Framers CC/500mA LED-profile 3000K	450lm, CRI 90, Vf=12V, 500mA, 25-50°

* 1: Grey 2: Black 3: White



ARTY FRAMER / CCS

No driver / adapter included
Operated by external LED driver

2700K	ARTF27C-LVS-*	Arty Framers 12V DC/8W Solo 2700K	480lm, CRI 90, 25-50°, dimmer, 1m cable
3000K	ARTF30C-LVS-*	Arty Framers 12V DC/8W Solo 3000K	510lm, CRI 90, 25-50°, dimmer, 1m cable
4000K	ARTF40C-LVS-*	Arty Framers 12V DC/8W Solo 4000K	540lm, CRI 90, 25-50°, dimmer, 1m cable

* 1: Grey 2: Black 3: White



ARTY FRAMER ACCESSORIES

Accessories for Arty Framers fixture

BC.470	Glas Gobo Arty, 470 Forest Leaf
BC.479	Glas Gobo Arty, 479 Puddle Leaf
ARTY92	Arty Gobo holder