





TECHNICAL DRAWING



- Will accommodate wider LED strip
- Small bending radius

APPLICATION

- main and decorative lighting

MOUNTING

- to the surface, suspended or recessed, using dedicated accessories, properly selected screws, with double-sided adhesive tape or mounting adhesive
- easy assembly and disassembly by snapping in and out

ADDITIONAL INFORMATION

- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ


TECHNICAL SPECIFICATIONS

Material	aluminum
Possible fixture IP	20, 67
Possible fixture shapes	linear, polygonal
Profile cross-section	rectangular
Width	19 mm
Height	12 mm
LED gluing width A	16 mm
Number of LED strips A (8 mm wide)	2
Width of the glow	15.5 mm
Max power of a single KLUŚ LED strip	24 W/m
Closet Rated	yes
Possibility of obtaining a line of light	yes
Possibility of bending	yes
Radius of the light arc	yes
Inward	400 mm
Outdoor	250 mm
Building type	Retail, Entertainment/ Arts, HoReCa object

Color	Length	Ref
■ silver anodized	1000 mm	A09325A_1
	2005 mm	A09325A_2
	3010 mm	A09325A_3
■ black anodized	1000 mm	A09325A07_1
	2005 mm	A09325A07_2
	3010 mm	A09325A07_3
□ white lacquered	1000 mm	A09325L100D_1
	2005 mm	A09325L100D_2
	3010 mm	A09325L100D_3

Facility zone	bathroom, kitchen, furniture, shop windows and exhibition, fascade lighting
The cover is cut to the length of the profile	yes
Wire out back of extrusion	yes

SAMPLE PROJECTS




RELATED ACCESSORIES > COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
Cover LIGER-16	PC	66 %	satin	B17039S
		92 %	clear	B17039C

RELATED ACCESSORIES > END CAPS

NAME	MATERIAL	COLOR	REF.
End cap SILER	ABS	■ black	C24236C07
		■ gray	C24236C02
		□ white	C24236C10
End cap set SILER-HQ	aluminum	■ gray	C28222AS


RELATED ACCESSORIES > RELATED LED > ADJUSTABLE WHITE / DIM TO WARM



K-18D30-0960-24
K-18D30-0960-24



K-27T50-1440-24
K-27T50-1440-24



KWP-27T50-1440-24
KWP-27T50-1440-24

RELATED ACCESSORIES > RELATED LED > BENDABLE



K-VBT-0720-24
K-VBT-0720-24



K-BT-0910-24
K-BT-0910-24



K-BTRGB40-1510-24
K-BTRGB40-1510-24


RELATED ACCESSORIES > RELATED LED > CRI 95+




KWP-CRHD-1910-24
KWP-CRHD-1910-24




KWP-CRHD-1820-24
KWP-CRHD-1820-24




K-CR-0480-24
K-CR-0480-24




K-CR-0960-24
K-CR-0960-24



K-CR-1440-24
K-CR-1440-24



KWP-CR-0480-24
KWP-CR-0480-24



KWP-CR-0960-24
KWP-CR-0960-24

RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY



K-VHE-0480-24
K-VHE-0480-24



K-VHE-0960-24
K-VHE-0960-24



K-VHE-1440-24
K-VHE-1440-24

RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CCT




K-RGBW-1530-24
K-RGBW-1530-24



KWP-RGBW-1530-24
KWP-RGBW-1530-24



K-RGB-1920-120-24
K-RGB-1920-120-24




KWP-RGB-1920-120-24
KWP-RGB-1920-120-24



KWP-RGB27T65-1200-24
KWP-RGB27T65-1200-24



KWP-RGB-1275-24
KWP-RGB-1275-24



KWP-GRGBW-1530-24
KWP-GRGBW-1530-24



K-RGB-1200-24
K-RGB-1200-24



K-RGB-0700-24
K-RGB-0700-24




KWP-RGB-0700-24
KWP-RGB-0700-24



KWP-RGB-1200-24
KWP-RGB-1200-24


RELATED ACCESSORIES > RELATED LED > WHITE MONO




K-1910-HD-24
K-HD-1910-24



KWP-1220-24
KWP-1220-24



K-2300-24
K-2300-24




K-0480-24
K-0480-24




K-0960-24
K-0960-24




K-1440-24
K-1440-24



K-2400-24
K-2400-24



K2-1920-24
K2-1920-24



K-HD-0480-24
K-HD-0480-24



K-HD-0960-24
K-HD-0960-24



K-HD-1440-24
K-HD-1440-24




KWP-HD-1910-24
KWP-HD-1910-24



KWP-1440-24
KWP-1440-24



KWP-0480-24
KWP-0480-24



KWP-0960-24
KWP-0960-24



KWP-GHD-0480-24
KWP-GHD-0480-24



KWP-GHD-0960-24
KWP-GHD-0960-24



KWP-GHD-1440-24
KWP-GHD-1440-24

NEW

NEW

NEW

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CANOPIES



CANOPIE
Fi-60mm
C24540

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONDUCTIVE FASTENERS AND HEADS FOR PROFILES



HEAD
BZP-ZO
42214



FASTENER
PUSZ-LIN-MR
C28163N00, C28163L10,
C28163L07



FASTENER
PUSZ-PRET-MR
C28119N00



FASTENER
FI-8-LIN-MR
C28172N00, C28172L10,
C28172L07



FASTENER
DP-ZZ
00651



FASTENER
DP-45-MOC-ZO
00653



FASTENER
DP-ZO
00649



NEW
FASTENER
PUSZ-MR
C20011

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > FASTENERS AND HEADS FOR PROFILES



HEAD
45-ST
C28111N00



HEAD
45-ZO
42211



FASTENER
DP
00644



FASTENER
FI-8-PRET-MR
C28187

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > MOUNTING BRACKETS




MOUNTING BRACKET

45-STN

C24144N00, C24262L07,
C24265L10

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER



GLAND

M8x1

C42265N00



GLAND

M10x1

C28275N00



HERMETIC COUPLER

THB.391.A4A, 4 pin

C42268C10



HERMETIC COUPLER

THB.381, 2pin

C28125C07



HERMETIC COUPLER

THB.391.A5A, 5 pin

C28156C07




JOINT CONNECTOR

THB.200.E5E, 5 pin

C28157C07

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SURFACE SPRINGS




SPRING

PDS

C24501N00

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SUSPENSION AND MOUNTING SETS




FASTENER SET
W1
C28203N00




FASTENER SET
W2
C28204N00




FASTENER SET
W6
C28205N00



FASTENER SET
W7
42605




FASTENER SET
M12
42610




FASTENER SET
M13
42611




FASTENER SET
RG-1
C28230P00, C28230P01,
C28230L10, C28230L07



FASTENER SET
PUSZ-MR-1
C28132



FASTENER SET
PUSZ-MR-2
C28133



FASTENER SET
FI-8-MR-1
C28136



FASTENER SET
FI-8-MR-2
C28137

RELATED ACCESSORIES > ELECTRONICS > SWITCHES



UNI-11
E61603



UNI-P
E61580